



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and in accordance with the current certification process. It has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/6553/161/05/26/0987

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: Rica Levy International SA
Z.I. Carros – Le Broc Center - Bât C BP 151 - 1ère Avenue 5600
mètres 06513 Carros Le Broc - France
France

Description

PPE Type: a safety footwear
Product reference: PYTHON
Article code: /
Construction and material of outsole: injected; PU/PU sole
Pictures:



Reference standard: EN ISO 20345:2022+A1:2024

Classification: I **Category:** S1 PS FO SR

Size range: 36-47

Toecap nature: Non Metallic **Insert nature:** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MAY 2026 and the user instructions index 2026-3-27.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Salomé Frau

Certification team leader

Date of first issue: 13 May 2026

Date of end of validity: 12 May 2031



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Rica Levy International SA

MANUFACTURER'S TECHNICAL FILE

Reference of the product: PYTHON

Article code: /

Technical file index: 01

Last update: MAY 2026

IDENTIFICATION

Reference of the product:	PYTHON
Article Code:	/
Technical file index :	01
Last update :	MAY 2026

Manufacturer

Rica Levy International SA

Z.I. Carros – Le Broc Center - Bât C BP 151 - 1ère Avenue 5600 mètres 06513 Carros Le Broc - France

France

Tel: 0033 492082121

Factory

Zhejiang Xiangcheng Safety Products Co., Ltd

Chengnan Avenue, Rui'an Economic Development Zone, Wenzhou City, Zhejiang Province, China

CHINA

Tel: +86 0577 65818818

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A : low shoe.

Visual description

General view :



Outsole view :



Reference of the mould : 8030

Range of sizes

36-47

Construction and material of outsole

injected; PU/PU sole


Field of use

Logistics, Construction, Warehouse (for mechanical risk)

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒
§1.4	Manufacturer's instructions and information is available	☒
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒
§2.6	PPE is intended for use in potentially explosive atmospheres	☒
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒
§2.14	Multi-risk PPE	☒
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	☒
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☒
§3.2	The PPE is intended to protect against static compression of a part of the body	☒
§3.3	The PPE is intended to protect against mechanical injuries	☒

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	XC2477-U1(B)	GRS FLYKNIT WITH BACKING-VAMP AREA	BLACK/YELLOW
	XC2477-U1(B)	GRS FLYKNIT WITH BACKING-QUARTER AREA	BLACK/YELLOW
	XC2477-U1(B)	GRS FLYKNIT WITH BACKING-COUNTER AREA	BLACK/YELLOW
	XC-U02	COUNTER: MICROFIBER	BLACK
COLLAR	XC2477-U1(B)	GRS FLYKNIT WITH BACKING	BLACK/YELLOW
TONGUE	XC2477-U2	OXFORD NYLON MESH	BLACK
VAMP LINING	XC-L01	NON-WOVEN FABRIC	GREY
QUARTER LINING	XC-L03	QUARTER & HEEL AREA LINING: MESH	BLACK
	XC-L03	TONGUE & HEEL AREA LINING: MESH	YELLOW
INSOLE	BOAN H-86	COMPOSITE INSOLE	WHITE/BLUE
INSOCK	XC2477-ISK1	MESH+MEMORY FOAM+MESH, NON-PERFORATED&REMOVABLE	YELLOW/WHITE
OUTSOLE	8030	PU/PU INJECTION	BLACK/YELLOW
TOE CAP	443	COMPOSITE TOECAP	WHITE
INSERT	BOAN H-86	COMPOSITE INSOLE	WHITE/BLUE
DECORATIVE ELEMENTS		WEBBING LOOP	BLACK/YELLOW
		UPPER(TOE)/THE STAY OF EYELET: TPU COATING	BLACK

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022+A1:2024 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACh regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :

- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PS)
- Antistatic footwear
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Outsole : Fuel oil resistance

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : tongue
Method of marking on the footwear: stitch

Packaging

One pair of shoes packed with tissue paper in inner box, five pairs in outer carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

References

D220509779_1
D230407758_2
D230510972_1
D231023215_1
D240822911_1
D240925237_1
D250833310_1

References

D251150876_3
D260103929_1
D260205800_1
D260307514_1
D260308881_1
GZHT91263365

MEANS OF CONTROL

Method of quality control: please refer to ISO 9001 certificate of factory pertinent tests and a frequency: we will test impact, compression, slip resistance per each batch of mass production according to EN ISO 20345:2022+A1:2024.



PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.ricalewisworkwear.com